RECEIVED CENTRAL PAX CENTER JAN 1 5 2008

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

10/723,075

Inventor(s)

Mukundan et al.

Filed

11/25/2003

Art Unit

1753

Examiner

S. Vathyam

Docket No.

S-102,315

Confirmation No.

8636

Customer No.

35068

Title

MIXED-POTENTIAL HYDROCARBON SENSOR WITH

LOW SENSITIVITY TO METHANE AND CARBON

MONOXIDE

# APPEAL BRIEF

Mail Stop Appeal Brief - Patents Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

This Brief is filed pursuant to the appeal from the decision communicated in the Office Action mailed on December 10, 2007.

A Notice of Appeal is being submitted together with this brief.

# CERTIFICATE OF MAILING/TRANSMISSION (37 CFR 1.8(a))

I hereby certify that this correspondence is, on the date shown below, being:

MAILING deposited with the United States Postal Service to the United States Patent and Trademark Office on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450.	FACSIMILE  Transmitted by facsimile to the United States Patent and Trademark Office.
---	---

Date Junuary 15, 2008

Juliet A. Jones

Signature

01/16/2008 PCHCMP

00000027 122150

10723075

02 FC:2402

255.00 DA

RECEIVED
CENTRAL FAX CENTER
JAN 1 5 2008

# **REAL PARTY IN INTEREST**

The real party in interest in the present Appeal is the assignee, Los Alamos National Security, LLC, at Los Alamos National Laboratory.

# RELATED APPEALS AND INTERFERENCES

There are no known related appeals, interferences, or judicial proceedings.

# STATUS OF CLAIMS

Claims 1 to 4 stand rejected by the Examiner as noted in the Advisory Action mailed on December 10, 2007. Claims 5-11 have been previously canceled. The rejection of claims 1-4 is appealed.

# STATUS OF AMENDMENTS

No amendment was filed.

### SUMMARY OF CLAIMED SUBJECT MATTER

Claim 1 relates to a hydrocarbon sensor (specification, p. 4, lines 26-27) comprising an electrolyte body having a first electrolyte surface (specification, p.8, lines 11-13 and Figure 1A (10)) with a reference electrode depending therefrom (specification page 6, lines 8-9 and Figure 1A (16); a metal oxide electrode body contained within the electrolyte body (specification, page 8, lines 12-13 and Figure 1A (12)) and having a first electrode surface coplanar with the first electrolyte surface (Figure 1B, (10), (12)), wherein the electrolyte body is compressed and sintered about the metal oxide electrode body for intimate contact therebetween (specification, page 5, line 29 – page 6, line 2 and Figure 1A (10), (12)).

### GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

- 1. Rejection of claims 1-3 under 35 U.S.C. 103(a) over U.S. Patent 4,277,323 (Muller et al.) in view of U.S. Patent 5,028,404 (Carberry et al.)
- 2. Rejection of claim 4 under 35 U.S.C. 103(a) over U.S. Patent 4,277,323 (Muller et al.) in view of U.S. Patent 5,028,404 (Carberry et al.) in further view of U.S. Patent 4,755,274 (Mase et al.)
- 3. Rejection of claims 1-3 under 35 U.S.C. 103(a) over U.S. Patent 5,543,025 (Garzon et al.) in view of U.S. Patent 5,028,404 (Carberry et al.).
- 4. Rejection of claim 4 under 35 U.S.C. 103(a) over U.S. Patent 5,543,025 (Garzon et al.) in view of U.S. Patent 5,028,404 (Carberry et al.) in further view of U.S. Patent 4,755,274 (Mase et al.)

### **ARGUMENTS**

1. Rejection of claims 1-3 under 35 U.S.C. 103(a) over U.S. Patent 4,277,323 (Muller et al.) in view of U.S. Patent 5,028,404 (Carberry et al.)

Applicants argue hereby the patentability of claim 1; claims 2 and 3 stand or fall with claim 1. Applicants' Claim 1 is directed toward a hydrocarbon sensor, and requires an electrolyte body having a first electrolyte surface with a reference electrode depending therefrom; a metal oxide electrode body contained within the electrolyte body and having a first electrode surface coplanar with the first electrolyte surface, wherein the electrolyte body is compressed and sintered about the metal oxide electrode body for intimate contact therebetween [emphasis added].

The Examiner admits that Muller fails to disclose the electrode to be a metal oxide (Office Action of October 24, 2007, page 3), and asserts that it would have been obvious

to one of ordinary skill in the art to have substituted the metal electrode of Muller with the metal oxide of Carberry.

As pointed out by the Examiner in the Office Action of October 24, 2007 (page 7), the U.S. Supreme Court noted in KSR v. Teleflex that the obviousness analysis cannot be confined by a formalistic conception of the words teaching, suggestion and motivation. 127 S. Ct. 1727, 1742. The Court further noted, however, that "[a]lthough common sense directs one to look with care at a patent application that claims as innovation the combination of two known devices according to their established functions, it can be important to identify a reason that would have prompted a person of ordinary skill in the relevant field to combine the elements in the way the claimed new invention does. Id at 1741 [emphasis added]. Applicants assert that one of skill in the art would have no reason to combine the teachings of Carberry and Muller.

As Applicants explained on page 4 of the Response to the Office Action of June 27, 2007, assuming for the sake of argument only that the metal oxide of Carberry were substituted for the metal electrode of Muller, this would not result in Applicants claimed invention. Claim 1 of Applicants' invention is directed toward a hydrocarbon sensor. Carberry teaches metal oxide as a viable alternative to noble metal catalysts. (Carberry, Abstract and col. 1, line 58 - col. 2, line 7.) Muller teaches an oxygen sensor. The sensor in Muller is applied to one surface of an insulated carrier plate or substrate. (Muller, Col. 1, lines 65-68.) The carrier plate is an essential element of Muller's invention, is pervious to oxygen molecules (porous), and the oxygen molecules pass through the substrate to reach the electrodes. (Muller, Col. 2, lines 3-7.) Whereas such a construct may work for oxygen molecules, which are relatively stable, this would not allow detection of hydrocarbons. As is explained on page 2, line 24 through page 3, line 3 of the Applicants' specification, when a hydrocarbon is forced to meander through pores of a material, it may be catalyzed in the presence of oxygen to non-hydrocarbon products. This reduces sensitivity. Thus, as one of skill in the art would understand, an electrode with a high catalysis rate would not be desirable in a hydrocarbon sensor, because the sensed gas concentration would be diminished by catalysis as the gas diffuses towards the surface.

6 610

SN 10/723,075 Docket No. S-102,315 In Response to Office Action dated 12/10/2007

In response, the Examiner states that Applicants' assertion that "catalysis is undesirable in sensors does not correspond with the breadth of the claim, which is open to sensors with or without catalysis." In support of this statement, the Examiner states that "Muller ('323) explains that sensors may or may not involve catalysis at an electrode," citing column 5, lines 7-12. See Advisory Action of December 10, 2007. Applicants believe that these statements are misleading for the following reasons. First, Applicants claims are not directed toward a sensor in general, but toward a hydrocarbon sensor. As stated in the previous paragraph, Applicants provide ample support in the specification as to why catalysis is undesirable in a hydrocarbon sensor. Second, column 5, lines 7-12 of Muller '323 in fact states: "In this case, one of two electrodes 30, 31 must be arranged that it can catalyze the gas equilibrium. This can be one porous platinum electrode, as used also in a polarographic sensor." This is different than the assertion that "sensors may or may not involve catalysis at an electrode," as Muller is referring to catalyzing an equilibrium. It is also irrelevant to Applicants' Claim I. Whereas some sensors may involve catalysis, Applicants' claim is directed toward a hydrocarbon sensor, in which Applicants have explained that catalysis is undesirable.

In summary, because Muller teaches a construction unsuitable for a hydrocarbon sensor, and Carberry teaches use of a metal oxide for catalysis, one of skill in the art would have no motivation to combine Muller with Carberry or with any other reference. Furthermore, the combination would not result in Applicants' claimed invention. For these reasons, Applicants believe that the rejection under 35 U.S.C. 103(a) is improper.

# 2. Rejection of claim 4 under 35 U.S.C. 103(a) over U.S. Patent 4,277,323 (Muller et al.) in view of U.S. Patent 5,028,404 (Carberry et al.) in further view of U.S. Patent 4,755,274 (Mase et al.)

Claim 4 depends from claim 1, and includes a further limitation "where the electrolyte body is yttria stabilized zirconia with a porosity produced by sintering at a temperature effective to produce a density less than about 81% of theoretical maximum density." The Examiner asserts that it would have been obvious to stabilize the zirconia electrolyte body of Muller with yttria as taught by Mase and to produce a desired porosity of the electrolyte body by sintering as taught by Mase.

Because claim 4 depends from claim 1, the arguments set forth above in subheading 1 with respect to claim 1 apply here. Because one of skill in the art would have no motivation to combine Muller and Carberry, there would similarly be no motivation to combine Muller and Carberry with Mase. In addition, Mase teaches the use of a porous ceramic layer (see *inter alia* Mase, Col. 2, lines 40 – 43) and fails to teach an electrode body contained within the electrolyte body and having a first electrode surface coplanar with the first electrolyte surface. Thus, even if these references were combined, the combination would fail to result in Applicants' invention reflected in claims 4 and claim 1 from which claim 4 depends. For these reasons, this rejection under 35 U.S.C. 103(a) is improper.

# 3. Rejection of claims 1-3 under 35 U.S.C. 103(a) over U.S. Patent 5,543,025 (Garzon et al.) in view of U.S. Patent 5,028,404 (Carberry et al.).

Applicants argue hereby the patentability of claim 1; claims 2 and 3 stand or fall with claim 1. The Examiner rejects claims 1-3 under 35 U.S.C. 103(a) over Garzon in view of Carberry. The Office Action admits that Garzon fails to disclose a metal oxide electrode, but that Carberry teaches a metal oxide as a viable alternative to noble metal catalysts, and that it would have been obvious to substitute the metal electrode of Garzon with the metal oxide of Carberry.

The combination of Garzon with Carberry would fail to result in Applicants' claimed invention. Applicants' claim 1 requires a first electrode surface coplanar with the first electrolyte surface, which is not taught by Garzon or by any of the other cited references. In the Office Action of October 24, 2007, page 8, nr. 12, the Examiner rejects this assertion, stating that Fig. 2 of Garzon depicts the mixed conductor 34 as being coplanar with the electrolyte. Applicants believe this to be in error, however. Close inspection of Figure 2 of Garzon depicts a mixed conductor 34 that is non-coplanar with the electrolyte 32, and wherein the electrolyte is deposited onto the conductor layer rather than the electrode body being contained within the electrolyte body. See Garzon, col. 3, lines 26-37. Figure 2 further depicts an oxygen sensor in which the oxygen must pass through a porous substrate (Garzon, col. 3, lines 32-33). As Applicants described in subheading 1, whereas having a sample pass through a porous substrate may be suitable for an oxygen detector, such a device would not be useful for detecting hydrocarbons.

Thus, one of skill in the art would have no motivation to look to the teachings of Garzon to produce a hydrocarbon sensor.

In addition, Carberry teaches metal oxides for use in catalysts, i.e., to convert one chemical species to another in exhaust gases. As explained in subheading 1 above, catalysis is undesirable in a hydrocarbon sensor. As one of skill in the art would understand, a hydrocarbon electrode with a high catalysis rate would not be desirable because the sensed gas concentration would be diminished by catalysis. In contrast, in contrast to catalysis, the present invention comprises both a sensor and a reference electrode and detects differences in the electrochemical reaction rates.

In the Office Action of October 24, 2007, page 7, last paragraph, the Examiner rejected this argument, asserting that "the claims do not require any step of detecting a difference or of detecting a reaction rate and aren't even method claims." However, claims must be read in light of the specification. *Phillips v. AWH Corp.*, 415 F.3d 1303 (Fed. Cir. 2005). Applicants point out that the present claims require an electrode and a reference electrode. As one of ordinary skill in the art would understand, when an electrode and a reference electrode are present, there is detection of a difference in current, which in turn relates to the reaction rate. See page 2, paragraph 2 of the specification. Thus, a function of the claimed article is to detect differences in reaction rates. Applicants further explain on page 9, Table 1 and lines 5-15 that response time is measured in terms of the voltage difference between the first electrode and the reference electrode.

In the Advisory Action of December 10, 2007, the Examiner rejected this argument, stating that limitations from the specification are not read into the claims, and citing *In re Van Geuns*, 988 F.2d 1181, 26 U.S.P.G. 2d 1057 (Fed. Cir. 1993). Applicants believe, however, that the Examiner's reliance on this case is misplaced. Applicants are not asking that limitations be read into the claims; rather, the limitations are already present in the claims, and are clarified in the specification, which relates differences in current to differences in reaction rates. In *In re Van Geuns*, the invention was an NMR or MRI imaging instrument. A claim was directed toward a magnet assembly with a

uniform magnetic field. *Id.* At 1184. The prior art disclosed a magnet assembly with a substantially uniform field, varying no more than 10%. Van Geuns argued that the reference did not render his NMR instrument obvious, because it does not teach the level of magnetic field uniformity required for NMR imaging. However, the claim was not specifically directed toward an NMR or MRI instrument. Van Geuns argued that the claim must be read in light of the specification, which disclosed such instruments, and the court disagreed. This is different than Applicants Claim 1, which requires an electrode and a reference electrode, and thus would inherently measure a difference in current.

Because neither Garzon nor Carberry teach a first electrode surface coplanar with the first electrolyte surface, and Carberry teaches the substitution of a metal oxide for use in a catalyst, one of skill in the art would have no motivation to combine the references, and furthermore, the combination of references would not result in Applicants' claimed invention. For this reason, the rejection under 35 U.S.C. 103(a) is improper.

4. Rejection of claim 4 under 35 U.S.C. 103(a) over U.S. Patent 5,543,025 (Garzon et al.) in view of U.S. Patent 5,028,404 (Carberry et al.) in further view of U.S. Patent 4,755,274 (Mase et al.)

Claim 4 depends from claim 1, and includes a further limitation "where the electrolyte body is yttria stabilized zirconia with a porosity produced by sintering at a temperature effective to produce a density less than about 81% of theoretical maximum density." The Examiner asserts Mase teaches a sensor comprising an yttria stabilized zirconia electrolyte body with a desired porosity for gas diffusion and measurement produced by sintering, and thus it would be obvious to combine Mase with Garzon and Carberry to arrive at Applicants' claim 4.

Because claim 4 depends from claim 1, the arguments set forth above in subheading 3 with respect to claim 1 apply here. Applicants believe that for these reasons one of skill in the art would have no reason to combine Garzon with Carberry to arrive at the invention of claim 1. In addition, Mase fails to teach an electrode body contained within the electrolyte body and having a first electrode surface coplanar with the first electrolyte surface. Thus, the combination of references would fail to produce Applicants' invention, and thus this rejection under 35 U.S.C. 103(a) is improper.

# **SUMMARY**

In view of the arguments presented herein, it is respectfully submitted that the rejections under 35 U.S.C. 103(a) are improper.

Respectfully submitted,

Reg. No.

54,202

Phone

(505) 606-2235

Digitation of Fittoriley

Juliet A. Jones, Ph.D. Los Alamos National Laboratory

LC/IP, MS A187

Los Alamos, New Mexico 87545

### **CLAIMS APPENDIX**

# 1. A hydrocarbon sensor comprising:

an electrolyte body having a first electrolyte surface with a reference electrode depending therefrom;

a metal oxide electrode body contained within the electrolyte body and having a first electrode surface coplanar with the first electrolyte surface, wherein the electrolyte body is compressed and sintered about the metal oxide electrode body for intimate contact therebetween.

- The hydrocarbon sensor according to Claim 1, where the metal oxide electrode body is formed from La<sub>1-x</sub>A<sub>x</sub>CrO<sub>3</sub>, where A is selected from the group consisting of Sr, Ca, and Mg, and 0≤x≤0.5.
  - 3. The hydrocarbon sensor according to Claim 2, where A is Sr and x=0.2.
- 4. The hydrocarbon sensor according to Claim 1, where the electrolyte body is yttria stabilized zirconia with a porosity produced by sintering at a temperature effective to produce a density less than about 81% of theoretical maximum density.

**EVIDENCE APPENDIX** 

NONE

# RELATED PROCEEDINGS APPENDIX

NONE

Rev 06/04/04

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Rangachary Mukundan

Docket No.: S-102,315

Serial No.:

10/723,075

Examiner:

S. Vathyam

Filed

11/25/2003

Art Unit:

1795

For

MIXED-POTENTIAL HYDROCARBON SENSOR WITH LOW

SENSITIVITY TO METHANE AND CARBON MONOXIDE

Mail Stop Appeal Brief - Patents Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

# TRANSMITTAL OF APPEAL BRIEF

1. Transmitted herewith is the Appeal Brief in this application with respect to the Notice of Appeal filed on <u>December 10, 2007.</u>

2. Attached is a Fee Transmittal Form.

Respectfully submitted.

Date:

January 15, 2008

Signature of Attorney

Reg. No.

54,202

Phone: (505) 606-2235

Juliet A. Jones

Los Alamos National Security, LLC

LC/IP, MS A187

Los Alamos, New Mexico 87545

# CERTIFICATE OF MAILING/TRANSMISSION (37 CFR 1.8(a))

I hereby certify that this correspondence is, on the date shown below, being:

MAILING

deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450.

FACSIMILE

Signature

Date January 15, 2008

Juliet A. Jones

(type or print name of person certifying)

Signature:

JAN 1 5 2008 Rev. 02/02/06

	****		^	lata if Knows		
FEE TRANSMITTAL		Application A	Complete If Known Application Number: 10/723,075			
For FY 2007		Filing Date:	10/10/01/	10/723,075 11/25/2003		
Potent less ere subject to ennuel revision		First Named	Inventor:	Rangachary M	lukundan	
		Examiner Na		S. Vathyam		
☐ Applicant claims small entity status. See 37 CFR 1.27		Group/Art U		1753		
TOTAL AMOUNT OF PAYMENT: \$255.00	Attomey Docket No.:		S-102,315			
METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)					
1.  The commissioner is hereby authorized to charge indicated fees and credit any over payments to: Deposit Account Number: 12-2150 Deposit Account Name: Los Alamos National Laboratory Charge Any Additional Fee Required Under 37 C.F.R. 1.16 and 1.17	Large Entity Fee Fe Code (1		Fee <u>Descrip</u> Surcharge – late fill		Fee Paid	
FEE CALCULATION	1052 \$8	0 2052 \$25	Surcharge – late pr	ovisional filing fee	or cover sheet	
TEL GALGOLATION	1812 \$2	201812 \$2520	For filing a request	for reexamination	1	
1. COMBINED FILING FEE	1	20 2251 \$60	Extension for reply			
Large Entity Small Entity Fee Fee Pee Description Fee Paid	1		Extension for reply			
1001 \$310 2001 \$155 Basic Filing fee \$0.00						
1004 \$310 2004 \$155 Reissue Filing fee \$			Extension for rep	•		
1111 \$510 2111 \$255 Search Fee \$0.00 1311 \$210 2311 \$105 Examination Fee \$0.00	1	40 2254 \$820	Extension for reply			
1005 \$210 2005 \$105 Provisional Filing Fee	1255 \$22	30 2255 \$1115	Extension for reply	within fifth month	l	
1085 \$260 2085 \$130 Provisional Size Fee	1401 \$5	10 2401 <b>\$255</b>	Notice of Appeal			
(for each additional 50 sheets that exceeds 100 sheets)	1402 \$5	10 2402 \$255	Filing a brief in a	support of an ap	peal \$255.00	
SUBTOTAL (1) \$0.00	1403 \$1	030 2403 \$515	5 Request for oral	hearing	•	
,	1452 \$5	10 2452 \$255	Petition to revive	– unavoidable		
2. EXTRA CLAIM FEES/APPLICATION SIZE FEE		10 2814 \$55	Terminal Disclaim			
Extra Fee from Fee Paid Claims Below						
Total Claims -20** = X = \$	1	40 2453 \$770	Petition to revive			
Independent -3 ** = X = \$	J.	30 1460 \$130	Petitions to the D			
Claims Multiple Dependent X 180 = \$	1806 \$1	30 1806 \$180	Submission of Inf	formation Disclos	ure Statement	
** or number previously paid, if greater; For Reissues, see below	1809 \$8	10 2809 \$405	Filing a submission (37 CFR 1.129 (a		ction	
Large Small Entity Entity	1810 \$8	0 2810 \$405	For each addition examined (37 CFI		•	
Fee Fee Fee Description	1811 \$1	00 1811 \$100	*			
1202 \$50 2202 \$25 Claims in excess of 20 1201 \$210 2201 \$105 Independent claims in excess of 3	1	0 1504 \$300	Publication fee fo			
1203 \$370 2203 \$185 Multiple dependent claim, if not	'	, 130+ <b>4000</b>	or normal publica			
paid.	1801 \$8	0 2801 \$405	Request for Cont			
1204 \$200 2204 \$100 Reissue independent claims in excess of 3 over original patent	Other fe	e (specify)		<del></del> ;	<del> </del>	
1205 \$50 2205 \$25 Reissue claims in excess of 20		e	UBTOTAL (3)		\$255.00	
over original patent  Total Claims Fee \$ 0.00						
APPLICATION SIZE FEE	Reduced	by Basic Filing Fee	Paid			
1081 \$260 2081 \$130.00 For each additional 50 sheets	ŀ	^	HETOTAL FROM		<b>*</b> 0.00	
that exceed 100 sheets, including specification and	SUBTOTAL FROM 1 \$ 0.00   SUBTOTAL FROM 2 \$ 0.00					
drawings	SUBTOTAL FROM 2 \$ 0.00 SUBTOTAL FROM 3 \$ 255.00					
OUDTOTAL (O) A A CC					·	
SUBTOTAL (2) \$_0.00_ (Include total of Claims Fees and Size Fee here)	TOTAL AMOUNT OF PAYMENT \$ 255.00 (Enter total amount at top of page)					
SUBMITTED BY	-			Complet	e (if applicable)	
Printed Name: Juliet A. Jones		····				
Trinco Ivalie. Juliet A. Julies				Reg. No.	54,202	

Date: January 15, 2008

Telephone

(505) 606-2235